

#### **Rudolf Hensel GmbH** 21039 Börnsen Date printed 12.03.2013, Revision 15.02.2013 Version 01 Page 1 / 7 SECTION 1: Identification of the substance / preparation and of the company **Product identifier** 1.1 **HENSOTHERM 2 KS OUTDOOR** 1.2 Relevant identified uses of the substance or mixture and uses advised against 1.2.1 Relevant uses Intumescent fire retardant coatings 1.2.2 Uses advised against None known. 1.3 Details of the supplier of the safety data sheet Company Rudolf Hensel GmbH Lauenburger Landstr. 11 21039 Börnsen / GERMANY Phone +49 (0)40-72 10 62 10 Fax +49 (0)40-72 10 62 52 Homepage www.rudolf-hensel.de E-mail info@rudolf-hensel.de Address enquiries to **Technical information** info@rudolf-hensel.de Safety Data Sheet sdb@chemiebuero.de 1.4 Emergency phone Company +49 (0)40-72 10 62 10 (7:00 - 17:00) 0172 4115390 (17:00 - 07:00) SECTION 2: Hazards identification Classification of the substance or mixture 2.1 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP] Hazard pictograms not applicable 2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC Hazard symbols none **R-phrases** none The product does not require a hazard warning label in accordance with EC-directives. 2.2 Label elements Labelling according to Regulation 67/548/EEC or 1999/45/EC Hazard symbols none **R-phrases** none Special labelling Safety data sheet available for professional user on request. 2004/42/CE 0 g/l II A i WB One-pack performance coatings (max. 140 g/l) 2.3 Other hazards **Environmental hazards** Does not contain any PBT or vPvB substances. Other hazards none

# Rudolf Hensel GmbH


#### 21039 Börnsen

SEC		Revision 15.02.201	13 Vers	sion 01	Page 2 /
	CTION 3: Composi	tion / Informatio	on on ingredients		
5.1	Product-type:				
	The product is a n	nixture.			
	Range [%]	Substance			
	1 - <5	Red Phosphorus			
		CAS: 7723-14-0,	EINECS/ELINCS: 231-768-7, EU-INDEX: 015-002-00-7		
			Sol. 1 - H228 - Aquatic Chronic 3 - H412		
		EEC: F-N, R 11-1	6-52/53		
	Comment on com	ponent parts	Substances of Very High Concern - SVHC: substances are not contain For full text of H-statements and R-phrases: see SECTION 16.	ined or are belo	ow 0,1%
<b>SEC</b>	CTION 4: First aid	measures			
.1	Description of fi	rst aid measure	e		
••	General information		Change soaked clothing.		
	Conoral morniau		change boarter olerning.		
	Inhalation		Ensure supply of fresh air.		
			In the event of symptoms seek for medical treatment.		
	Skin contact		When in contact with the skin, clean with soap and water.		
			Consult a doctor if skin irritation persists.		
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lens to do. Continue rinsing.	ses, if present a	nd eas
			If eye irritation persists: Get medical advice/attention.		
	Ingestion		Supply with medical care.		
			Do not induce vomiting.		
			Rinse out mouth and give plenty of water to drink.		
.2	Most important	symptoms and	offects, both acute and delayed		
. 2	MOSt Important	symptoms and o	effects, both acute and delayed		
			None known		
			None known.		
.3	Indication of an	y immediate me	None known. dical attention and special treatment needed		
.3	Indication of an	y immediate me			
	Indication of an		dical attention and special treatment needed		
EC	CTION 5: Fire-fight	ing measures	dical attention and special treatment needed		
EC	CTION 5: Fire-fight Extinguishing m	ing measures nedia	dical attention and special treatment needed Treat symptomatically.	Inding areas mu	ist be
EC	CTION 5: Fire-fight	ing measures nedia	dical attention and special treatment needed	unding areas mu	ust be
EC	CTION 5: Fire-fight Extinguishing m	ting measures nedia hing media	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou	Inding areas mi	ust be
SEC	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used	ting measures nedia hing media dia that must not	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered.	unding areas mi	ust be
.1	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used	ting measures nedia hing media dia that must not	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet.	Inding areas m	ust be
.1	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used	ting measures nedia hing media dia that must not	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO)	Inding areas m	ust be
.1	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used	ting measures nedia hing media dia that must not	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products.	Inding areas mi	ust be
.1 .2	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used Special hazards	ting measures nedia hing media dia that must not arising from the	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO)	unding areas mu	ust be
.1 .2	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used	ting measures nedia hing media dia that must not arising from the	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Phosphorus oxides (POx).	Inding areas m	ust be
5.2 5.3	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used Special hazards	ting measures nedia hing media dia that must not arising from the	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Phosphorus oxides (POx). Use self-contained breathing apparatus.		
5EC .1	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used Special hazards	ting measures nedia hing media dia that must not arising from the	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Phosphorus oxides (POx).		
.1 .2 .3	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used Special hazards Advice for firefig	ting measures hedia hing media dia that must not arising from the	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Phosphorus oxides (POx). Use self-contained breathing apparatus. Fire residues and contaminated firefighting water must be disposed o the local regulations.		
.1 .2 .3	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used Special hazards Advice for firefig	ting measures hedia hing media dia that must not arising from the ghters al release meas	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Phosphorus oxides (POx). Use self-contained breathing apparatus. Fire residues and contaminated firefighting water must be disposed o the local regulations. Tures		
.1 .2 .3	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used Special hazards Advice for firefig	ting measures hedia hing media dia that must not arising from the ghters al release meas	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Phosphorus oxides (POx). Use self-contained breathing apparatus. Fire residues and contaminated firefighting water must be disposed o the local regulations. ures e equipment and emergency procedures		
.1 .2 .3	CTION 5: Fire-fight Extinguishing m Suitable extinguis Extinguishing me be used Special hazards Advice for firefig	ting measures hedia hing media dia that must not arising from the ghters al release meas	dical attention and special treatment needed Treat symptomatically. Product itself is non-combustible. Fire extinguishing method of surrou considered. Full water jet. e substance or mixture Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Phosphorus oxides (POx). Use self-contained breathing apparatus. Fire residues and contaminated firefighting water must be disposed o the local regulations. Tures		

Do not discharge into the drains/surface waters/groundwater.







#### 7.3 Specific end use(s)

# SECTION 8: Exposure controls / personal protection 8.1 Control parameters Ingredients with occupational exposure limits to be monitored (GB) Range [%] Substance 1 - <5 Red Phosphorus</td> CAS: 7723-14-0, EINECS/ELINCS: 231-768-7, EU-INDEX: 015-002-00-7 Long-term exposure: 0,1 mg/m³ Short-term exposure (15-minute): 0,3 mg/m³ 1 - <20</td> Titanium dioxide CAS: 13463-67-7, EINECS/ELINCS: 236-675-5 Long-term exposure: 4 mg/m³, respirable; total inhalable: TWA=10 mg/m³

#### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses.
Hand protection	Butyl rubber, >480 min (EN 374). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Not required under normal conditions.
Other	Avoid contact with eyes and skin. Do not inhale aerosols.
Respiratory protection	Not required under normal conditions.
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	See SECTION 6+7.

HENSEL

# Rudolf Hensel GmbH 21039 Börnsen

Date	printed 12.03.2013, Revision 15.02.2013		Version 01	Page 4 / 7
SEC	SECTION 9: Physical and chemical properties			
9.1	Information on basic physical and	chemical properties		
	Form	pasty		
	Color	grey		
	Odor	characteristic		
	Odour threshold	not determined		
	pH-value	6,5 - 7,5		
	pH-value [1%]	not determined		
	Boiling point [°C]	not determined		
	Flash point [°C]	not applicable		
	Flammability [°C]	not applicable		
	Lower explosion limit	not applicable		
	Upper explosion limit	not applicable		
	Oxidizing properties	no		
	Vapour pressure/gas pressure [kPa]	not determined		
	Density [g/ml]	1,25 - 1,35		
	Bulk density [kg/m³]	not applicable		
	Solubility in water	miscible		
	Partition coefficient [n-octanol/water]	not determined		
	Viscosity	>60 s (ISO 2431 6 mm) (20 °C)		
	Relative vapour density determined in air	not applicable		
	Evaporation speed	not applicable		
	Melting point [°C]	not determined		
	Autoignition temperature [°C]	not applicable		
	Decomposition temperature	not determined		
9.2	Other information			

#### 9.2 Other information

none

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

The product is stable under standard conditions.

#### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

#### 10.4 Conditions to avoid

See SECTION 7

#### 10.5 Incompatible materials


Strong oxidizing agent.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

HENSEL

#### Safety Data Sheet 1907/2006/EC - REACH (GB) HENSOTHERM 2 KS OUTDOOR



#### 21039 Börnsen

 Date printed 12.03.2013, Revision 15.02.2013
 Version 01
 Page 5 / 7

 SECTION 11: Toxicological information
 Version 01
 Version 01

#### 11.1 Information on toxicological effects

#### Acute toxicity

Range [%]	Substance
1 - <5	Red Phosphorus, CAS: 7723-14-0
	LD50, oral, Rat: > 15000 mg/kg (Lit.).

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	There is no evidence of any mutagenic effects.
Reproduction toxicity	There is no evidence of any reproductive toxicity effects.
Carcinogenicity	There is no evidence of any carcinogenic effects.
General remarks	
	Toxicological data of complete product are not available. No classification on the basis of the calculation procedure of the preparation directive. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive. Ecological data of complete product are not available. The product contains organically bound halogen in accordance with the formulation.

http://www.chemiebuero.de, Phone +49 (0)941-566-398 (-455), E-mail info@chemiebuero.de, v. 130228d



#### Safety Data Sheet 1907/2006/EC - REACH (GB) HENSOTHERM 2 KS OUTDOOR



## Rudolf Hensel GmbH

21039 Börnsen

Date printed 12.03.2013, Revision 15.02.2013	Version 01	Page 6 / 7
SECTION 13: Disposal considerations		

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

	For recycling, consult manufacturer.
Waste no. (recommended)	080112
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150102 150104

#### **SECTION 14: Transport information**

#### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

#### 14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

#### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

#### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable



### Rudolf Hensel GmbH

21039 Börnsen

al regulations/legislation specific for the substance or mixture
מי הפקטומנוטרוס/ובקוסומנוטרו ספבטווע וער טו נווב סעוסנמוועב ער וווואנעוב
1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Read 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).
EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
no
0%
not applicable
P 11: Highly flormable
R 11: Highly flammable. R 16: Explosive when mixed with oxidising substances. R 52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquat environment.
H228 Flammable solid. H412 Harmful to aquatic life with long lasting effects.
ADR = Accord européen relatif au transport international des marchandises Dangereuses
Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses
voie de navigation intérieure CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
MARPOL = International Convention for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative
none